

ANSI/HFES 100-2007 Human Factors Engineering of Computer Workstations

TABLE OF CONTENTS

FOREWORD

1. PURPOSE

2. GENERAL SCOPE

- 2.1 Guiding Principles
- 2.2 Limitations

3. CONFORMANCE POLICY

- 3.1 Conformance Exclusions

4. CITED STANDARDS

5. INSTALLED SYSTEMS

- 5.1 Purpose and Scope
- 5.2 Design Specifications
 - 5.2.1 General Specifications
 - 5.2.1.1 User Postures
 - 5.2.1.2 Adjustment Controls in the Workstation
 - 5.2.1.3 Adjustable Surfaces
 - 5.2.1.4 Pinch Points
 - 5.2.1.5 Device Cabling
 - 5.2.2 Beneath the Work Surface
 - 5.2.2.1 Leg and Foot Clearance
 - 5.2.2.2 Footrests
 - 5.2.3 In Front of the Work Surface
 - 5.2.3.1 Chairs
 - 5.2.3.2 Chair Casters
 - 5.2.3.3 Chair Seat Pan and Backrest Adjustments
 - 5.2.3.3.1 Armrests
 - 5.2.3.4 Input Device Location
 - 5.2.3.5 Arm and Wrist/Palm Supports
 - 5.2.4 On Top of the Work Surface
 - 5.2.4.1 Horizontal Work Envelope
 - 5.2.4.2 Monitor Support Surface
 - 5.2.4.3 Monitor Viewing Angle
 - 5.2.4.4 Document Holders
 - 5.2.5 Surrounding the Work Surface
 - 5.2.5.1 Illuminance
 - 5.2.5.2 Luminance Balance
 - 5.2.5.3 Acoustical Noise
 - 5.2.5.4 Mechanical Vibrations

- 5.2.5.5 Contact Surface Temperature
- 5.2.5.6 Ambient Thermal Conditions
- 5.2.5.7 Product Emissions
- 5.2.5.8 Electromagnetic Compatibility
- 5.2.5.9 Static Electricity

5.3 Conformance

- 5.3.1 User Postures
- 5.3.2 Control Clearance for Users' Feet and Legs
- 5.3.3 Pinch Points
- 5.3.4 Leg and Foot Clearance
- 5.3.5 Footrests
- 5.3.6 Chairs
- 5.3.7 Chair Seat Pan and Backrest Adjustments
- 5.3.8 Armrests
- 5.3.9 Input Device Location
- 5.3.10 Monitor Support Surface
- 5.3.11 Illuminance

5.4 References

6. INPUT DEVICES

6.1 Purpose and Scope

6.2 Design Specifications

6.2.1 General Specifications

- 6.2.1.1 Control Dynamics
- 6.2.1.2 Device Stability
- 6.2.1.3 Intentional Movements
- 6.2.1.4 Grip Surface
- 6.2.1.5 Handedness
- 6.2.1.6 Surface Reflectance
- 6.2.1.7 Edges, Corners, and Surfaces
- 6.2.1.8 Button Placement
- 6.2.1.9 Button Force and Displacement
- 6.2.1.10 Button Feedback
- 6.2.1.11 Button Lock
- 6.2.1.12 Labels

6.2.2 Keyboards

- 6.2.2.1 Keyboard Layout
 - 6.2.2.1.1 Alphabetic Keys
 - 6.2.2.1.2 Numeric Keypads
- 6.2.2.2 Cursor Control
- 6.2.2.3 Keyboard Height, Slope, and Wrist/Palm Support
- 6.2.2.4 Profile
- 6.2.2.5 Dual-State Keys
- 6.2.2.6 Key Nomenclature
- 6.2.2.7 Key Spacing
- 6.2.2.8 Key Size and Shape

- 6.2.2.9 Key Force
- 6.2.2.10 Key Displacement
- 6.2.2.11 Key Rollover/Simultaneous Key Depression
- 6.2.2.12 Keying Feedback
- 6.2.2.13 Key Repeat Rate
- 6.2.2.14 Home Row Locator
- 6.2.2.15 Keyboard Wrist Rest
- 6.2.3 Mouse Devices
 - 6.2.3.1 Shape and Size
 - 6.2.3.2 Motion Sensor
- 6.2.4 Puck Devices
 - 6.2.4.1 Shape and Size
- 6.2.5 Trackballs
 - 6.2.5.1 Diameter
 - 6.2.5.2 Resistance
- 6.2.6 Joysticks
 - 6.2.6.1 Handle Size
 - 6.2.6.2 Force
 - 6.2.6.3 Displacement
- 6.2.7 Styli and Light Pens
 - 6.2.7.1 Surface
 - 6.2.7.2 Button Shape
 - 6.2.7.3 Diameter
 - 6.2.7.4 Length
- 6.2.8 Tablets and Overlays
 - 6.2.8.1 Surface
 - 6.2.8.2 Attachment and Detachment
- 6.2.9 Touch-Sensitive Panels
 - 6.2.9.1 Minimum Touch Area
 - 6.2.9.2 Dead Space
 - 6.2.9.3 Target Tracking
- 6.3 Metrics
 - 6.3.1 Device Stability
 - 6.3.2 Numeric Keypad Layout
 - 6.3.3 Cursor Control
 - 6.3.4 Keyboard Height and Slope
 - 6.3.5 Key Spacing
 - 6.3.6 Key Force
 - 6.3.7 Key Displacement
 - 6.3.8 Keying Feedback
 - 6.3.9 Shape and Size
- 6.4 References

7. VISUAL DISPLAYS

- 7.1 Purpose and Scope
- 7.2 General Specifications

- 7.2.1 Default Configuration
- 7.2.2 Viewing Characteristics
 - 7.2.2.1 Design Viewing Distance
 - 7.2.2.2 Gaze Angle
 - 7.2.2.3 Design Angular Viewing Envelope
- 7.2.3 Spatial Characteristics
 - 7.2.3.1 Moiré
 - 7.2.3.2 Pixel Grid Modulation, Fill Factor, and Pixel Pitch
 - 7.2.3.3 Pixel and Subpixel Faults
 - 7.2.3.4 Geometric Distortion
 - 7.2.3.5 Graphic Orthogonality Error
- 7.2.4 Temporal Quality
 - 7.2.4.1 Response Time
 - 7.2.4.2 Temporal Coding
 - 7.2.4.3 Flicker
 - 7.2.4.4 Jitter
- 7.2.5 Luminance and Color Quality
 - 7.2.5.1 Luminance Range
 - 7.2.5.2 Luminance Nonuniformity
 - 7.2.5.3 Luminance Contrast and Reflections
 - 7.2.5.4 Luminance Coding
 - 7.2.5.5 Image Polarity
 - 7.2.5.6 Default Color Set
 - 7.2.5.7 Color Differences
 - 7.2.5.8 Color Uniformity
 - 7.2.5.9 Number of Colors
 - 7.2.5.10 Background/Foreground Interactions
- 7.2.6 Information Format
 - 7.2.6.1 Character Height
 - 7.2.6.2 Sizes of Colored Characters
 - 7.2.6.3 Character Width-to-Height Ratio
 - 7.2.6.4 Stroke Width
 - 7.2.6.5 Character Format
 - 7.2.6.6 Spacing Between Characters
 - 7.2.6.7 Spacing Between Lines
 - 7.2.6.8 Spacing Between Words

7.3 References

8. FURNITURE

- 8.1 Purpose and Scope
- 8.2 General Specifications
 - 8.2.1 User Postures
- 8.3 Design Specifications
 - 8.3.1 General Specifications
 - 8.3.1.1 Stability
 - 8.3.1.2 Pinch Points

- 8.3.1.3 Workstation Adjustments
- 8.3.1.4 Finish of Furniture and Accessories
- 8.3.1.5 Surface Gloss
- 8.3.2 Surfaces
 - 8.3.2.1 Operator Clearances
 - 8.3.2.1.1 Method 1—Reclined Seated and Upright Seated Postures
 - 8.3.2.1.2 Method 2—Upright, Reclined, and Declined Seated Postures
 - 8.3.2.2 Work Surfaces
 - 8.3.2.3 Monitor Support Surface/Device
 - 8.3.2.4 Input-Device Support Surface
 - 8.3.2.4.1 Sit-Only Working Postures
 - 8.3.2.4.2 Stand-Only Working Postures
 - 8.3.2.4.3 Sit/Stand Working Postures
 - 8.3.2.5 Standing Operator Foot Clearances
- 8.3.3 Seating
 - 8.3.3.1 Height
 - 8.3.3.2 Depth and Front Edge of the Seat Pan
 - 8.3.3.3 Seat Pan Width
 - 8.3.3.4 Seat Pan Angle
 - 8.3.3.5 Seat Pan Backrest Angle
 - 8.3.3.6 Backrest Height and Width
- 8.3.4 User Supports
 - 8.3.4.1 Armrests
 - 8.3.4.2 Wrist/Palm, Forearm Supports
 - 8.3.4.3 Footrests
- 8.4 Conformance
 - 8.4.1 Supplier Conformance
 - 8.4.1.1 Surfaces
 - 8.4.1.2 Seating
- Appendix A
 - A.1 Anthropometric Derivations
 - A.1.1 Anthropometric Data
 - A.1.2 Univariate Data
 - A.1.3 Adding Percentiles
 - A.1.4 Unidimensional Data
 - A.1.5 Multidimensional Data
 - A.1.6 Iterative Solution to Clearance Space
 - A.2 Clearance Under the Work Surface
 - A.2.1 Deriving the Models
 - A.2.1.1 Minimum Width
 - A.2.1.2 Minimum Knee Depth
 - A.2.1.3 Minimum Foot Depth
 - A.2.1.4 Maximum Thigh Height
 - A.2.1.5 Maximum and Minimum Knee Height
 - A.2.1.6 Upper Limits
 - A.2.1.6.1 Method 1—Upright and Reclined Seated Postures

A.2.1.6.2 Method 2—Upright and Declined Seated Postures

A.2.1.7 Lower Limit

A.3 Seat Height

A.3.1 Deriving the Models

A.3.1.1 Maximum Seat Height

A.3.1.2 Minimum Seat Height

A.3.2 Defining Accommodation Ranges

A.4 Standing and Sit-Stand Work Surfaces; Height and Angle Adjustments

A.4.1 Deriving the Models

A.4.1.1 Standing Support Surface Height

A.4.2 Defining Accommodation Ranges

8.5 References

LIST OF FIGURES

- 5-1. Reference Postures for Computer Workstation Users
- 5-2. Elbow Reference Postures
- 5-3. Shoulder Abduction Reference Postures
- 5-4. Shoulder Flexion Reference Postures
- 5-5. Wrist Flexion and Extension Reference Postures
- 5-6. Torso-to-Thigh Reference Postures
- 5-7a. Side View of Recommended Space for Placement of Input Devices
- 5-7b. Top View of Recommended Space for Placement of Input Devices
- 5-8. Nomenclature for Wrist/Palm Support Dimensions
- 5-9. Recommended Space for Input Devices and Primary, Secondary, and Tertiary Horizontal Work Zones
- 5-10. Diagram of Manual Goniometer
- 6-1. Row References for Conventional Keyboards
- 6-2. Numeric Keypad Layouts
- 6-3. Cursor Key Layouts
- 6-4. Illustration of Keyboard Slope
- 6-5. Keyboard Height Measured from Table Surface to Middle of Home Row of Keyboard
- 6-6. Keyboard Slant and Tilt
- 6-7. Illustration of Key Spacing
- 6-8. Example of Force Displacement Curves
- 6-9. Illustration of a Mouse
- 6-10. Illustration of a Puck
- 6-11. Illustration of a Trackball
- 6-12. Exposed Surface and Diameter of Trackball
- 6-13. Finger-Operated and Hand-Operated Joysticks
- 6-14. Illustrations of Light Pen and Stylus
- 6-15. Touch Panel Dead Space
- 7-1. Design Angular Viewing Envelope
- 7-2. Spatial Limits on the Display Surface Imposed by the Design Angular Viewing Envelope at the Design Viewing Distance
- 7-3. Maximum Contrast of Moiré Patterns

- 7-4. Height and Width of Characters
- 7-5. Spacing Between Characters, Lines, and Words
- 8-1. Reference Postures for Computer Workstation Users
- 8-2. Placement of Clearance Space Boxes
- 8-3a. Clearance Spaces for Method 1
- 8-3b. Clearance Spaces for Method 2
- 8-4. Method of Combining Height and Tilt for Input-Device Support Surfaces
- A-1. Clearance Dimensions
- A-2. Seat Height Dimensions

LIST OF TABLES

- 5-1. Surface Temperature and Contact Time
- 7-1. Default Display Configuration
- 8-1. Combinations of Height and Tilt Within the Acceptable Ranges for Standing Work
- 8-2. Assessment of Chair Conformance Using BIFMA Chair Measuring Device
- A-1. Combinations of Elbow Angle and Surface Height